

DOUBLE TROUBLE™ L031180

SUSPENSION - 46.4"

TYPE:


PROJECT NAME:



Technical data

	LED
Light emission direction	direct and indirect lighting
Power	41 W
Lumens	6437 lm
Color Temp	2700K, 3000K, 4000K
CRI	80, 90 CRI

Technical drawing



Comes with 6' suspension aircraft cables. Custom cable lengths also available.

Finishes casing

Material aluminum

Canopy

Diameter (Ø) 307 x 92 mm - 12" 1/8 x 3" 5/8 inch
 Height 45 mm - 1" 7/9 inch

ORDERING INFO

L032360312U20000

Model (Order Code)

Finish
See below

Color Temp.
 2700K
 3000K
 4000K

Voltage
 120V
 277V

Dimming
 LTE (Leading/Trailing Edge Dim, 120V only)
 010V (0-10V Dim)



Installation note: Comes with a 4" backplate that mounts to a standard junction box

SPECIFICATION SHEET

Structure finishing

black



white



brass



LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM

Last updated: 5/04/21

DOUBLE TROUBLE™ L031980

SUSPENSION - 77.9"

TYPE:

PROJECT NAME:




Technical data

Light source	LED
Circuit structure	LED strip
Light emission direction	direct and indirect lighting
Power	70 W
Lumens	10780 lm
Colour temperature	2700K, 3000K, 4000K
Colour rendering index	80, 90 CRI

Technical drawing

Size ref. image mm - inch



Comes with 6' suspension aircraft cables. Custom cable lengths also available.

Finishes casing

Material aluminum

Canopy

Diameter (Ø) 307 x 92 mm - 12" 1/8 x 3" 5/8 inch
Height 45 mm - 1" 7/9 inch

ORDERING INFO

L032360320U20000

Model (Order Code)

Finish
See below

Color Temp.
 2700K
 3000K
 4000K

Voltage
 120V
 277V

Dimming
 LTE (Leading/Trailing Edge Dim, 120V only)
 010V (0-10V Dim)



Installation note: Comes with a 4" backplate that mounts to a standard junction box

SPECIFICATION SHEET

Structure finishing

black



white



brass



LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM

Last updated: 5/04/21

DOUBLE TROUBLE™ L032875

SUSPENSION - 113.1"

TYPE:

PROJECT NAME:




Technical data

Light source	LED
Circuit structure	LED strip
Light emission direction	direct and indirect lighting
Power	103 W
Lumens	15862 lm
Colour temperature	2700K, 3000K, 4000K
Colour rendering index	80, 90 CRI

Technical drawing

Size ref. image mm - inch



Comes with 6' suspension aircraft cables. Custom cable lengths also available.

Finishes casing

Material aluminum

Canopy

Diameter (Ø) 307 x 92 mm - 12" 1/8 x 3" 5/8 inch
 Height 45 mm - 1" 7/9 inch

ORDERING INFO

L032360328U20000

Model (Order Code)

Finish
See below

Color Temp.
 2700K
 3000K
 4000K

Voltage
 120V
 277V

Dimming
 LTE (Leading/Trailing Edge Dim, 120V only)
 010V (0-10V Dim)



Installation note: Comes with a 4" backplate that mounts to a standard junction box

SPECIFICATION SHEET

Structure finishing

black



white



brass



LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM

Last updated: 5/04/21