

# BRITE™

## RECESSED

TYPE:

PROJECT NAME:

### LIGHTING FEATURES


LED COLOUR	2200K, 2700K, 3000K, 4000K, Red, Green, Blue
CRI	>80 (2200K, 2700K, 3000K, 4000K)
OPTICS	15°, 28°, 64°, 16°x 48°
UGR	<19
3000K REAL OUTPUT FLUX	2,2W 128lm 28°
AVERAGE LED LIFE	50.000h L80 B10

### MECHANICAL FEATURES

WEIGHT	Kg 0,15
FINISHES	Anodized aluminium, Steel
INSTALLATION	Recessed on ground with housing box, recessed on plasterboard or wood with spring, recessed on brickwork with housing box
MATERIAL	Anticorodal anodized aluminum body, anodized aluminum or AISI 316L stainless steel trim, transparent tempered glass and PMMA lens

### GENERAL FEATURES

OPERATING TEMPERATURE	-10°C +45°C
INGRESS PROTECTION	IP67
IMPACT RESISTANCE	IK08
GLOW WIRE TEST	960°C
CLASS	II



### ORDERING INFO

Model (Order Code)	Structure Finish	Optic Options	Accessories	Filter Options	LED	Remote Driver
<input type="radio"/> BRITE 2.2W	<input type="radio"/> A: Anodized Aluminum <input type="radio"/> S: AISI 316L Stainless Steel Marine Grade	<input type="radio"/> 15: 15° <input type="radio"/> 28: 28° <input type="radio"/> 64: 64° <input type="radio"/> 1648: 16° x 48°	<input type="radio"/> ML032: Torsion Spring <input type="radio"/> CAW32: Housing Box <input type="radio"/> CAI32: Housing Box	<input type="radio"/> HC: Honeycombo <input type="radio"/> BC: Black & Clear	<input type="radio"/> 22: 2200K <input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120-277V 0-10V


SPECIFICATION SHEET





# LEDOLOGY®


A **Luminart** BRAND


WWW.LEDOLOGY.COM  
Last updated: 08/19/24


CODE	<b>ML032</b>
TIPOLOGY	Torsion spring  kg 0,001
MATERIAL	Stainless steel



CODE	<b>CAW32</b>
TIPOLOGY	Housing box  kg 0,09
MATERIAL	PVC



CODE	<b>CAI32</b>
TIPOLOGY	Housing box  kg 0,06
MATERIAL	ABS



a scelta | to be chosen

# BRITE™

RECESSED - FILTER

TYPE:

PROJECT NAME:

to be chosen

<i>CODE</i>	<b>HC</b>
<i>TPOLOGY</i>	<i>Honeycomb filter</i>
<i>CODE</i>	<b>BC</b>
<i>TPOLOGY</i>	<i>Black &amp; Clear filter</i>
<b>NOTE</b>	<i>with 15°, 28°, 64° lens only</i>

