

BRITE™ SQUARE

RECESSED

TYPE:

PROJECT NAME:

LIGHTING FEATURES


LED COLOUR	2200K, 2700K, 3000K, 4000K, Red, Green, Blue
CRI	>80 (2200K, 2700K, 3000K, 4000K)
OPTICS	15°, 28°, 64°, 16°x 48°
UGR	<19
3000K REAL OUTPUT FLUX	2,2W 128lm 28°
AVERAGE LED LIFE	50.000h L80 B10

MECHANICAL FEATURES

WEIGHT	Kg 0,16
FINISHES	Anodized aluminum, Steel
INSTALLATION	Recessed in ground with housing box, recessed in plasterboard or wood with spring, recessed in brickwork with housing box
MATERIAL	Anticorodal anodized aluminum body, anodized aluminum or AISI 316L stainless steel trim, transparent tempered glass and PMMA lens

GENERAL FEATURES

OPERATING TEMPERATURE	-10°C +45°C
INGRESS PROTECTION	IP67
IMPACT RESISTANCE	IK08
GLOW WIRE TEST	960°C
CLASS	II



ORDERING INFO

Model (Order Code)	Structure Finish	Optic Options	Accessories	Filter Options	LED	Remote Driver
<input type="radio"/> BRITESQUARE 2.2W	<input type="radio"/> A: Anodized Aluminum <input type="radio"/> S: AISI 316L Stainless Steel Marine Grade	<input type="radio"/> 15: 15° <input type="radio"/> 28: 28° <input type="radio"/> 64: 64° <input type="radio"/> 1648: 16° x 48°	<input type="radio"/> ML032: Torsion Spring <input type="radio"/> CAW32: Housing Box <input type="radio"/> CAI32: Housing Box	<input type="radio"/> HC: Honeycombo <input type="radio"/> BC: Black & Clear	<input type="radio"/> 22: 2200K <input type="radio"/> 27: 2700K <input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> 120V LTE <input type="radio"/> 120-277V 0-10V

SPECIFICATION SHEET



LEDOLOGY®

A **Luminart** BRAND


WWW.LEDOLOGY.COM
Last updated: 08/19/24


BRITE™ SQUARE


RECESSED - ACCESSORIE


TYPE:


PROJECT NAME:


CODE	ML032
TPOLOGY	Torsion spring  kg 0,001
MATERIAL	Stainless steel



CODE	CAW32
TPOLOGY	Housing box  kg 0,09
MATERIAL	PVC



CODE	CAI32
TPOLOGY	Housing box  kg 0,06
MATERIAL	ABS



a scelta | to be chosen

SPECIFICATION SHEET

BRITE™ SQUARE

RECESSED - FILTER

TYPE:

PROJECT NAME:

to be chosen

<i>CODE</i>	HC
<i>TPOLOGY</i>	<i>Honeycomb filter</i>
<i>CODE</i>	BC
<i>TPOLOGY</i>	<i>Black & Clear filter</i>
NOTE	<i>with 15°, 28°, 64° lens only</i>

