

# WETT™ XL RGB

RECESSED INGROUND SUBMERSIBLE

TYPE:

PROJECT NAME:

## LIGHTING FEATURES

LED COLOUR	RGBW
OPTICS	24°, 36°, Diffused, ASYM, 60°
AVERAGE LED LIFE	50.000h L80 B10

## MECHANICAL FEATURES

WEIGHT **kg 2,4**

FINISHES *Steel*

INSTALLATION *Recessed in ground with housing box, recessed in brickwork with housing box (not included), installation out of water with standard housing box, permanent immersion installation with IP68 housing box or liner kit*

MATERIAL *AISI 316L stainless steel body, AISI 316L stainless steel trim, transparent tempered glass and PMMA lens*

## GENERAL FEATURES


OPERATING TEMPERATURE **-10°C +45°C**

INGRESS PROTECTION **IP68**

IMPACT RESISTANCE **IK09**

GLOW WIRE TEST **960°C**

APPLIANCE CLASS **II**



SPECIFICATION SHEET

## ORDERING INFO

Model (Order Code)	Structure Finish	Optic Options	Accessories	Filter Options	LED	Remote Driver
<input type="radio"/> WETTXL 12W	<input type="radio"/> S: AISI 316L	<input type="radio"/> 24: 24°	<input type="radio"/> CA101:	<input type="radio"/> HC: Honeycombo	<input type="radio"/> RGB	<input type="radio"/> 120V LTE
<input type="radio"/> WETTXL 18W	Stainless Steel	<input type="radio"/> 36: 36°	Housing Box			<input type="radio"/> 120-277V 0-10V
	Marine Grade	<input type="radio"/> 60: 60°	<input type="radio"/> CA8101:			
		<input type="radio"/> D: Diffused	Housing Box			



LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM  
Last updated: 08/20/24

# WETT™ XL RGB

RECESSED - ACCESSORIE

TYPE:



PROJECT NAME:

CODE CA101

TYPOLOGY Housing box



MATERIAL Aluminum





CODE C8101

TYPOLOGY IP68 Housing box



MATERIAL PVC



SPECIFICATION SHEET

# WETT™ XL RGB

RECESSED - FILTER


**TYPE:**

**PROJECT NAME:**

---

<i>CODE</i>	<b>HC</b>
<i>TPOLOGY</i>	<i>Honeycomb filter</i>
<b>NOTE</b>	<i>with 18°, 24°, 36°, 60°, 20°x 50°, ASYM lens only</i>

---



SPECIFICATION SHEET