

LP CUBE DOUBLE™ H3000 TYPE:

POLE



PROJECT NAME:



Mounting	Pole mounted. Optional foundation and foot cover to be ordered separately.
Material	Aluminum body, PMMA optic
LED	3000K, 4000K
Dimmer	Remote driver, LTE / 0-10V
Ingress Protection	IP66
CRI	>80
Class	I
Lifetime	100.000h L80B10

- 03 White
 06 Grey
 05 Black
 70 Anthracite

Power [W]	Luminaire Light Flux [lm]	
	3000K	4000K
34W	2156lm	2270lm
50W	2941lm	3096lm



SPECIFICATION SHEET

ORDERING INFO

L599406 H3000

Model (Order Code)	Power	Finish Options	Optic Options	LED	Remote Driver Options
<input type="radio"/> L599406 H3000	<input type="radio"/> 1: 34W <input type="radio"/> 2: 50W	<input type="radio"/> 03: White <input type="radio"/> 06: Grey <input type="radio"/> 05: Black <input type="radio"/> 70: Anthracite	<input type="radio"/> 1: Asymmetrical light <input type="radio"/> 2: Street light <input type="radio"/> 3: Park light	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> LTE: 120V LTE <input type="radio"/> D10: 120-277V 0-10V



LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM
Last updated: 10/22/24

LP CUBE DOUBLE™ H4000 TYPE:

POLE



PROJECT NAME:



Mounting	Pole mounted. Optional foundation and foot cover to be ordered separately.
Material	Aluminum body, PMMA optic
LED	3000K, 4000K
Dimmer	Remote driver, LTE / 0-10V
Ingress Protection	IP66
CRI	>80
Class	I
Lifetime	100.000h L80B10

- 03 White
 06 Grey
 05 Black
 70 Anthracite

Power [W]	Luminaire Light Flux [lm]	
	3000K	4000K
34W	2156lm	2270lm
50W	2941lm	3096lm



SPECIFICATION SHEET

ORDERING INFO					
Model (Order Code)	Power	Finish Options	Optic Options	LED	Remote Driver Options
L599406 H4000	<input type="radio"/> 1: 34W <input type="radio"/> 2: 50W	<input type="radio"/> 03: White <input type="radio"/> 06: Grey <input type="radio"/> 05: Black <input type="radio"/> 70: Anthracite	<input type="radio"/> 1: Asymmetrical light <input type="radio"/> 2: Street light <input type="radio"/> 3: Park light	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> LTE: 120V LTE <input type="radio"/> D10: 120-277V 0-10V



LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM
Last updated: 10/22/24

LP CUBE DOUBLE™ H5000 TYPE:

POLE



PROJECT NAME:



Mounting	Pole mounted. Optional foundation and foot cover to be ordered separately.
Material	Aluminum body, PMMA optic
LED	3000K, 4000K
Dimmer	Remote driver, LTE / 0-10V
Ingress Protection	IP66
CRI	>80
Class	I
Lifetime	100.000h L80B10

- 03 White
 06 Grey
 05 Black
 70 Anthracite

Power [W]	Luminaire Light Flux [lm]	
	3000K	4000K
34W	2156lm	2270lm
50W	2941lm	3096lm



SPECIFICATION SHEET

ORDERING INFO

L599406 H5000

Model (Order Code)	Power	Finish Options	Optic Options	LED	Remote Driver Options
<input type="radio"/> L599406 H5000	<input type="radio"/> 1: 34W <input type="radio"/> 2: 50W	<input type="radio"/> 03: White <input type="radio"/> 06: Grey <input type="radio"/> 05: Black <input type="radio"/> 70: Anthracite	<input type="radio"/> 1: Asymmetrical light <input type="radio"/> 2: Street light <input type="radio"/> 3: Park light	<input type="radio"/> 30: 3000K <input type="radio"/> 40: 4000K	<input type="radio"/> LTE: 120V LTE <input type="radio"/> D10: 120-277V 0-10V



LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM
Last updated: 10/22/24



LP CUBE DOUBLE™

POLE

TYPE:

PROJECT NAME:

ACCESSORIES ORDERING INFO

Model (Order Code)	Quantity	
<input type="radio"/> L591300.1000: Foundation	-	
<input type="radio"/> L5990.14C: Foot cover	-	

SPECIFICATION SHEET