


ZIRKOL SQUARE

INSTALLATION INSTRUCTIONS

TYPE:

PROJECT NAME:

Box contents




Installation

Downlight



— Split

● Electrical cable


○ Iron cable



- 1 Disconnect the electrical power and draw the suspension points



(inches/mm)




ZIRKOL SQUARE

INSTALLATION INSTRUCTIONS


TYPE:

PROJECT NAME:


Example of connection



- 2 Drill holes into the marked points



- 3 Install the support cables with appropriate hardware (eg. drywall anchors) depending on ceiling material




ZIRKOL SQUARE

INSTALLATION INSTRUCTIONS

TYPE:

PROJECT NAME:

- 4 Thread cables into fixture and secure by tightening the set screws



ZIRKOL SQUARE


INSTALLATION INSTRUCTIONS

TYPE:


PROJECT NAME:

Installation / Installation

5 Connect driver wires to junction box



6 Affix canopy to junction box



ZIRKOL SQUARE

INSTALLATION INSTRUCTIONS

TYPE:




PROJECT NAME:

6 Connect wires inside the canopy




Low voltage

Lamp connection (24V)



Connection 110-277V



ZIRKOL SQUARE

INSTALLATION INSTRUCTIONS


TYPE:

PROJECT NAME:


7 Close the canopy




Match the position of the numbers (1,2 and 3) inside the canopy and the ones on the cover




8




A






B



CLICK



For an inspection, open the canopy



ZIRKOL SQUARE

INSTALLATION INSTRUCTIONS

TYPE:



PROJECT NAME:

1 Remove electrical cables

Lamp connection (24V)



Low voltage



2 Unscrew the canopy

