

# PEGGY™

CEILING

TYPE:

PROJECT NAME:

IP20



**Finish**

Non-acoustic:



White

PMMA



Black



Matte gold

Acoustic:




Wool

Uplight and  
downlight


Painted metal disc  
or wool fabric  
acoustic disc. Conic  
diffuser in painted  
metal or globe  
diffuser in opal  
PMMA



Wool



Peggy: Up light  
emission detail



Peggy LED: Up light  
emission detail



Peggy Ball: Up  
light emission  
detail



Cod. 650  
Sand



Cod. 651  
Orange



Cod. 652  
Green



Cod. 653  
Mustard yellow



Cod. 654  
Purple



Cod. 655  
Avio blue



Cod. 656  
Dark grey

SPECIFICATION SHEET

# PEGGY™

CEILING

TYPE:

PROJECT NAME:

<b>Ceiling lamp - D. 60</b>	ø 60 x 26 cm 6 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEGEPL060G01
-----------------------------	----------------------	---	-----------------

ø 60 x 26 cm 6 Kg	lamp type 2 led module 17W + 9W luminous efficacy 3755 Lm light colour 2700 K cri >80	L82PEGEPL060G02
----------------------	--	-----------------

<b>Ceiling lamp Ball - D. 60</b>	ø 60 x 26 cm 6 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEBEPL060M01
----------------------------------	----------------------	---	-----------------


<b>Ceiling lamp - D. 80</b>	ø 80 x 28 cm 8,5 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEGEPL080G01
-----------------------------	------------------------	---	-----------------

ø 80 x 28 cm 8,5 Kg	lamp type 2 led module 17W + 18W luminous efficacy 5141 Lm light colour 2700 K cri >80	L82PEGEPL080G02
------------------------	---	-----------------


<b>Ceiling lamp Ball - D. 80</b>	ø 80 x 28 cm 8,5 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEBEPL080M01
----------------------------------	------------------------	---	-----------------




26 cm  
10.23"



27 cm  
10.62"



29 cm  
11.41"



34 cm  
13.38"

21 cm  
8.26"

60 cm  
23.62"

15 cm  
5.9"

60 cm  
23.62"

26 cm  
10.23"

80 cm  
31.49"

20 cm  
7.87"

80 cm  
31.49"

## ORDERING INFO

Model (Order Code)

Finish

LED

Remote Driver Options

- 2700K
- 3000K
- 4000K

- 120V Phase Dimming



Fixture comes with a 4" backplate that mounts to a standard junction box.

SPECIFICATION SHEET

LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM


# PEGGY™

CEILING

**TYPE:**


**PROJECT NAME:**

<b>Ceiling lamp - D. 100</b>	ø 100 x 40 cm 12 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEGEPL100G01
	ø 100 x 40 cm 12 Kg	lamp type 2 led module 17W + 18W luminous efficacy 5287 Lm light colour 2700 K cri >80	L82PEGEPL100G02
<b>Ceiling lamp Ball - D. 100</b>	ø 100 x 40 cm 12 Kg	lamp type 1 x 15W E26 LED + 3 x 5W R7S LED	L82PEBEPL100M01



## ORDERING INFO

Model (Order Code)	Finish	LED	Remote Driver Options
		<input type="radio"/> 2700K <input type="radio"/> 3000K <input type="radio"/> 4000K	<input type="radio"/> 120V Phase Dimming

 Fixture comes with a 4" backplate that mounts to a standard junction box.

SPECIFICATION SHEET