

Z SERIES™ MAXI

RECESSED

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

ORDERING INFO

Model (Order Code)	Finish	LED	Voltage	Dimming
	<input type="radio"/> Matte Steel	<input type="radio"/> 2700K <input type="radio"/> 3000K <input type="radio"/> 4000K	<input type="radio"/> 120V <input type="radio"/> 277V	<input type="radio"/> LTE (Leading/Trailing Edge Dim) <input type="radio"/> 010V (0-10V)



Please note: 277V is only compatible with 0-10V dimming

LEDOLOGY®

A **Luminart** BRAND


WWW.LEDOLOGY.COM
Last updated: 07/02/20

Z SERIES™ MAXI

RECESSED

TYPE:

PROJECT NAME:




L676397 Z Series Maxi COB

.33 *Matte steel*

AISI 316L Stainless Steel

	Color temperature	Optics	Light sources	lm
<i>/W</i>	4000K	<i>/28 /60</i>	COB LED 8,9W 17,8V 500mA	1553lm
<i>/WW</i>	3000K	<i>/28 /60</i>	COB LED 8,9W 17,8V 500mA	1303lm



0,40 Kg

Accessories



L670230

KIT: draining junction + IP connector



L670260/C

Spring for recessed ceiling

	Drivers ON/OFF
Code	0147/COB
	500mA
L674555	1-2

	IP67 drivers
	0143/IP
	500mA
	1

DIMMABLE drivers				
0141/DIM	0141/DALI	0145/DALI	0145	
PUSH - 1...10V	DIM DALI	DIM DALI	DIM	
1-2	1-2	1-3	1-3	

Only serial connection

SPECIFICATION SHEET

LEDOLOGY®

A **Luminart** BRAND


WWW.LEDOLOGY.COM
Last updated: 07/02/20

Z SERIES™ MAXI


RECESSED

TYPE:

PROJECT NAME:



6 cm.
(2.36")



Ø 7 (2.75")

6368 Z Series Maxi Round


.33 Matte steel

Inox AISI 316L


Color temperature	Light sources	lm
/W 4000K	LED max 3x1W 350mA	453lm
/WW 3000K	LED max 3x1W 350mA	429lm



0,40 Kg



6 cm.
(2.36")



7x7 (2.75" x 2.75")

6383 Z Series Maxi Square

.33 Matte steel

Inox AISI 316L

Color temperature	Light sources	lm
/W 4000K	LED max 3x1W 350mA	453lm
/WW 3000K	LED max 3x1W 350mA	429lm



0,35 Kg

Accessories



L670230

KIT: draining junction + IP connector



L670232

Wall plastic box



L670260

Spring for recessed ceiling

SPECIFICATION SHEET

Code	Drivers ON/OFF		IP67 drivers 0031/IP 350mA	DIMMABLE drivers			
	0125 350mA	0128 350mA		0141/DIM PUSH - 1...10V	0141/DALI DIM DALI	0145/DALI DIM DALI	0145 DIM
L676368	1-2	1-3	1-3	1-12	1-12	1-21	1-21
L676383	1-2	1-3	1-3	1-12	1-12	1-21	1-21

Only serial connection

LEDODOLOGY®

A Luminart® BRAND

WWW.LEODOLOGY.COM
Last updated: 07/02/20