


# ZIRKOL™

SUSPENSION

TYPE:

PROJECT NAME:



SPECIFICATION SHEET

## ORDERING INFO

Model (Order Code)	Finish	LED	Voltage/Dimming
	<input type="radio"/> White	<input type="radio"/> 2700K	<input type="radio"/> 120V Leading/Trailing Edge Dimming
	<input type="radio"/> Black	<input type="radio"/> 3000K	<input type="radio"/> 120V 0-10V Dimming (Remote Driver)
	<input type="radio"/> Matte Gold	<input type="radio"/> 4000K	<input type="radio"/> 277V 0-10V Dimming (Remote Driver)



**LEDOLOGY®**

A **Luminart** BRAND

WWW.LEDOLOGY.COM  
Last updated: 4/29/21


# ZIRKOL™

SUSPENSION


TYPE:

PROJECT NAME:


## ZIRKOL | CIRCLE



Ø100




Ø150




Ø200

## ZIRKOL | SQUARE




150

150



200



200

300

## ZIRKOL | OVAL




200

100



300



250

150

SPECIFICATION SHEET

LEDOLOGY®

A **Luminart** BRAND


WWW.LEDOLOGY.COM  
Last updated: 4/29/21

# ZIRKOL™

SUSPENSION

TYPE:

PROJECT NAME:



Ø300




Ø500



400

150



400

200



350

150



400

200

SPECIFICATION SHEET

LEDOLOGY®

A **Luminart** BRAND


WWW.LEDOLOGY.COM  
Last updated: 4/29/21

# ZIRKOL™

## SUSPENSION

TYPE:

PROJECT NAME:



**CIRCLE | 1m (39.37")**

Linear LED | diffused | cri 90 |

*note* | canopy included, 3 adjustable metal cables (length from 3m to 0.5m) | Shipped assembled | Packaging 110x110x15cm

**DOWNLIGHT** | 1 remote driver 100W |

1 electrical cable length 4m

*accessory* | 3 x ceiling attachment + ceiling plate or canopy for remote driver

CCT 2700K | 45W | 2616lm

- L10BZRC1610G15DBO *structure white*
- L10BZRC1610G15DNE *structure black*
- L10BZRC1610G15DOR *structure matte gold*

CCT 3000K | 45W | 2769lm

- L10BZRC1610G15WBO *structure white*
- L10BZRC1610G15WNE *structure black*
- L10BZRC1610G15WOR *structure matte gold*

CCT 4000K | 45W | 3077lm

- L10BZRC1610G15NBO *structure white*
- L10BZRC1610G15NNE *structure black*
- L10BZRC1610G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 1 remote driver 100W

1 electrical cable length 4m

*accessory* | 3 x ceiling attachment + ceiling plate or canopy for remote driver

CCT 2700K | 90W | 5231lm


- L10ZRC1710G15DBO *structure white*
- L10BZRC1710G15DNE *structure black*
- L10BZRC1710G15DOR *structure matte gold*

CCT 3000K | 90W | 5539lm

- L10ZRC1710G15WBO *structure white*
- L10BZRC1710G15WNE *structure black*
- L10BZRC1710G15WOR *structure matte gold*

CCT 4000K | 90W | 6154lm

- L10BZRC1710G15NBO *structure white*
- L10BZRC1710G15NNE *structure black*
- L10BZRC1710G15NOR *structure matte gold*



**CIRCLE | 1.5m (59.05")**

Linear LED | diffused | cri 90 |

*note* | canopy included, 3 adjustable metal cables (length from 3m to 0.5m) | Shipped assembled | Packaging 160x160x15cm

**DOWNLIGHT** | 1 remote driver 100W |

1 electrical cable length 4m

*accessory* | 3 x ceiling attachment + ceiling plate or canopy for remote driver

CCT 2700K | 68W | 3923lm

- L10BZRC1615G15DBO *structure white*
- L10BZRC1615G15DNE *structure black*
- L10BZRC1615G15DOR *structure matte gold*

CCT 3000K | 68W | 4154lm

- L10BZRC1615G15WBO *structure white*
- L10BZRC1615G15WNE *structure black*
- L10BZRC1615G15WOR *structure matte gold*

CCT 4000K | 68W | 4616lm

- L10BZRC1615G15NBO *structure white*
- L10BZRC1615G15NNE *structure black*
- L10BZRC1615G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cable length 4m

*accessory* | 3 x ceiling attachment + 2 x ceiling plate or canopy for remote drivers

CCT 2700K | 136W | 7847lm

- L10BZRC1715G15DBO *structure white*
- L10BZRC1715G15DNE *structure black*
- L10BZRC1715G15DOR *structure matte gold*

CCT 3000K | 136W | 8308lm

- L10BZRC1715G15WBO *structure white*
- L10BZRC1715G15WNE *structure black*
- L10BZRC1715G15WOR *structure matte gold*

CCT 4000K | 136W | 9232lm

- L10BZRC1715G15NBO *structure white*
- L10BZRC1715G15NNE *structure black*
- L10BZRC1715G15NOR *structure matte gold*

SPECIFICATION SHEET

LEDOLOGY®

A Luminart® BRAND


WWW.LEDOLOGY.COM  
Last updated: 4/29/21

# ZIRKOL™


## SUSPENSION

TYPE:

PROJECT NAME:



Ø200  
(78.74")



### CIRCLE | 2m (78.74")

Linear LED | diffused | cri 90 |

note | 4 adjustable metal cables length 3m

Shipped in 2 arches | Packaging 210x110x15cm

DOWNLIGHT | 1 remote driver 100W |

1 electrical cable 5m

accessory | canopy or ceiling plate for remote driver

CCT 3000K | 90W | 5539lm

○ L10BZRC1620G15WBO structure white

● L10BZRC1620G15WNE structure black

● L10BZRC1620G15WOR structure matte gold

CCT 4000K | 90W | 6154lm

○ L10BZRC1620G15NBO structure white

● L10BZRC1620G15NNE structure black

● L10BZRC1620G15NOR structure matte gold

UP-DOWNLIGHT | 2 remote drivers 100W each |

2 electrical cables length 5m

accessory | 2 x canopy or ceiling plate for remote drivers

CCT 3000K | 180W | 11078lm

○ L10BZRC1720G15WBO structure white

● L10BZRC1720G15WNE structure black


● L10BZRC1720G15WOR structure matte gold

CCT 4000K | 180W | 12309lm


○ L10BZRC1720G15NBO structure white

● L10BZRC1720G15NNE structure black

● L10BZRC1720G15NOR structure matte gold



Ø300  
(118.11")



### CIRCLE | 3m (118.11")

Linear LED | diffused | cri 90 |

note | 6 adjustable metal cables length 3m

Shipped in 3 arches | Packaging 310x110x15cm

DOWNLIGHT | 2 remote drivers 100W each |

2 electrical cable 5m

accessory | 2 x canopy or ceiling plate for remote drivers

CCT 3000K | 134W | 8238lm

○ L10BZRC1630G15WBO structure white

● L10BZRC1630G15WNE structure black

● L10BZRC1630G15WOR structure matte gold

CCT 4000K | 134W | 9153lm

○ L10BZRC1630G15NBO structure white

● L10BZRC1630G15NNE structure black

● L10BZRC1630G15NOR structure matte gold

UP-DOWNLIGHT | 3 remote drivers 100W each |

3 electrical cables length 5m

accessory | 3 x canopy or ceiling plate for remote drivers

CCT 3000K | 268W | 16476lm

○ L10BZRC1730G15WBO structure white

● L10BZRC1730G15WNE structure black

● L10BZRC1730G15WOR structure matte gold

CCT 4000K | 268W | 18306lm

○ L10BZRC1730G15NBO structure white

● L10BZRC1730G15NNE structure black

● L10BZRC1730G15NOR structure matte gold

SPECIFICATION SHEET

LEDOLOGY®

A Luminart® BRAND


WWW.LEDOLOGY.COM  
Last updated: 4/29/21

# ZIRKOL™


SUSPENSION

TYPE:

PROJECT NAME:



Ø500  
(196.85")



5  
(1.96")

**CIRCLE | 5m (196.85")** 

Linear LED | diffused | cri 90 |

*note* | 10 adjustable metal cables length 3m

Shipped in 5 arches | Packaging 310x110x15cm

**DOWNLIGHT | 3 remote drivers 100W each |**

3 electrical cables length 5m

*accessory* | 3 x canopy or ceiling plate for remote drivers

CCT 3000K | 226W | 13847lm

○ L10BZRC1650G15WBO *structure white*

● L10BZRC1650G15WNE *structure black*

● L10BZRC1650G15WOR *structure matte gold*

CCT 4000K | 226W | 15386lm

○ L10BZRC1650G15NBO *structure white*

● L10BZRC1650G15NNE *structure black*

● L10BZRC1650G15NOR *structure matte gold*

**UP-DOWNLIGHT | 5 remote drivers 100W each |**

5 electrical cables length 5m

*accessory* | 5 x canopy or ceiling plate for remote drivers

CCT 3000K | 452W | 27695lm

○ L10BZRC1750G15WBO *structure white*

● L10BZRC1750G15WNE *structure black*

● L10BZRC1750G15WOR *structure matte gold*

CCT 4000K | 452W | 30772lm

○ L10BZRC1750G15NBO *structure white*

● L10BZRC1750G15NNE *structure black*

● L10BZRC1750G15NOR *structure matte gold*

SPECIFICATION SHEET

LEDOLOGY®

A **Luminart** BRAND


WWW.LEDOLOGY.COM  
Last updated: 4/29/21

# ZIRKOL™

## SUSPENSION

TYPE:

PROJECT NAME:



**SQUARE | 1.5x1.5m (59.05"x59.05")** 

Linear LED | diffused | cri 90 |  
*note* | 4 adjustable metal cables length 3m  
 Shipped assembled | Packaging 160x160x15cm

**DOWNLIGHT** | 1 remote driver 100W |  
 1 electrical cable length 5m  
*accessory* | canopy or ceiling plate for remote driver  
 CCT 2700K | 77W | 4432lm  
 L10BZRQ1606G15DBO *structure white*  
 L10BZRQ1606G15DNE *structure black*  
 L10BZRQ1606G15DOR *structure matte gold*


CCT 3000K | 77W | 4692lm  
 L10BZRQ1606G15WBO *structure white*  
 L10BZRQ1606G15WNE *structure black*  
 L10BZRQ1606G15WOR *structure matte gold*

CCT 4000K | 77W | 5214lm  
 L10BZRQ1606G15NBO *structure white*  
 L10BZRQ1606G15NNE *structure black*  
 L10BZRQ1606G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 2 remote drivers 100W each |  
 2 electrical cable length 5m  
*accessory* | 2x canopy or ceiling plate for remote drivers  
 CCT 2700K | 154W | 8863lm  
 L10BZRQ1712G15DBO *structure white*  
 L10BZRQ1712G15DNE *structure black*  
 L10BZRQ1712G15DOR *structure matte gold*

CCT 3000K | 154W | 9384lm  
 L10BZRQ1712G15WBO *structure white*  
 L10BZRQ1712G15WNE *structure black*  
 L10BZRQ1712G15WOR *structure matte gold*

CCT 4000K | 154W | 10427lm  
 L10BZRQ1712G15NBO *structure white*  
 L10BZRQ1712G15NNE *structure black*  
 L10BZRQ1712G15NOR *structure matte gold*



**SQUARE | 2x2m (78.74"x78.74")** 

Linear LED | diffused | cri 90 |  
*note* | 4 adjustable metal cables length 3m  
 Shipped in 2 arches | Packaging 210x110x15cm

**DOWNLIGHT** | 2 remote drivers 100W each |  
 2 electrical cable length 5m  
*accessory* | 2 x canopy or ceiling plate for remote drivers  
 CCT 2700K | 105W | 6098lm  
 L10BZRQ1608G15DBO *structure white*  
 L10BZRQ1608G15DNE *structure black*  
 L10BZRQ1608G15DOR *structure matte gold*

CCT 3000K | 105W | 6456lm  
 L10BZRQ1608G15WBO *structure white*  
 L10BZRQ1608G15WNE *structure black*  
 L10BZRQ1608G15WOR *structure matte gold*

CCT 4000K | 105W | 7174lm  
 L10BZRQ1608G15NBO *structure white*  
 L10BZRQ1608G15NNE *structure black*  
 L10BZRQ1608G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 4 remote drivers 100W each |  
 4 electrical cables length 5m  
*accessory* | 4 x canopy or ceiling plate for remote drivers  
 CCT 2700K | 211W | 12195lm  
 L10BZRQ1716G15DBO *structure white*  
 L10BZRQ1716G15DNE *structure black*  
 L10BZRQ1716G15DOR *structure matte gold*

CCT 3000K | 211W | 12912lm  
 L10BZRQ1716G15WBO *structure white*  
 L10BZRQ1716G15WNE *structure black*  
 L10BZRQ1716G15WOR *structure matte gold*

CCT 4000K | 211W | 14347lm  
 L10BZRQ1716G15NBO *structure white*  
 L10BZRQ1716G15NNE *structure black*  
 L10BZRQ1716G15NOR *structure matte gold*

SPECIFICATION SHEET

LEDOLOGY®

A Luminart® BRAND


WWW.LEDOLOGY.COM  
 Last updated: 4/29/21

# ZIRKOL™

## SUSPENSION

TYPE:

PROJECT NAME:



**RECTANGLE | 3x2m (118.11"x78.74")** 

Linear LED | diffused | cri 90 |

*note* | 4 adjustable metal cables length 3m

Shipped in 2 arches | Packaging 310x110x15cm

**DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cables length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

CCT 2700K | 134W | 7764lm

○ L10BZRQ1610G15DBO *structure white*

● L10BZRQ1610G15DNE *structure black*

● L10BZRQ1610G15DOR *structure matte gold*

CCT 3000K | 134W | 8220lm

○ L10BZRQ1610G15WBO *structure white*

● L10BZRQ1610G15WNE *structure black*

● L10BZRQ1610G15WOR *structure matte gold*

CCT 4000K | 134W | 9134lm

○ L10BZRQ1610G15NBO *structure white*

● L10BZRQ1610G15NNE *structure black*

● L10BZRQ1610G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 4 remote drivers 100W each |

4 electrical cables length 5m

*accessory* | 4 x canopy or ceiling plate for remote drivers

CCT 2700K | 268W | 15527lm

○ L10BZRQ1720G15DBO *structure white*

● L10BZRQ1720G15DNE *structure black*

● L10BZRQ1720G15DOR *structure matte gold*

CCT 3000K | 268W | 16440lm

○ L10BZRQ1720G15WBO *structure white*

● L10BZRQ1720G15WNE *structure black*


● L10BZRQ1720G15WOR *structure matte gold*

CCT 4000K | 268W | 18267lm

○ L10BZRQ1720G15NBO *structure white*

● L10BZRQ1720G15NNE *structure black*

● L10BZRQ1720G15NOR *structure matte gold*



**RECTANGLE | 4x1.5m (157.48"x59.05")** 

Linear LED | diffused | cri 90 |

*note* | 4 adjustable metal cables length 3m

Shipped in 4 pieces | Packaging 310x110x15cm

**DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cables length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

CCT 2700K | 149W | 8597lm

○ L10BZRQ1614G15DBO *structure white*

● L10BZRQ1614G15DNE *structure black*

● L10BZRQ1614G15DOR *structure matte gold*

CCT 3000K | 149W | 9102lm

○ L10BZRQ1614G15WBO *structure white*

● L10BZRQ1614G15WNE *structure black*

● L10BZRQ1614G15WOR *structure matte gold*

CCT 4000K | 149W | 10114lm

○ L10BZRQ1614G15NBO *structure white*

● L10BZRQ1614G15NNE *structure black*

● L10BZRQ1614G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 4 remote drivers 100W each |

4 electrical cables length 5m

*accessory* | 4 x canopy or ceiling plate for remote drivers

CCT 2700K | 297W | 17193lm

○ L10BZRQ1728G15DBO *structure white*

● L10BZRQ1728G15DNE *structure black*

● L10BZRQ1728G15DOR *structure matte gold*

CCT 3000K | 297W | 18204lm

○ L10BZRQ1728G15WBO *structure white*

● L10BZRQ1728G15WNE *structure black*

● L10BZRQ1728G15WOR *structure matte gold*

CCT 4000K | 297W | 20227lm

○ L10BZRQ1728G15NBO *structure white*

● L10BZRQ1728G15NNE *structure black*

● L10BZRQ1728G15NOR *structure matte gold*

SPECIFICATION SHEET

LEDODOLOGY®

A Luminart® BRAND

WWW.LEDOLOGY.COM

Last updated: 4/29/21




# ZIRKOL™

## SUSPENSION

TYPE:

PROJECT NAME:



### RECTANGLE | 4x2m (157.48"x78.74")

Linear LED | diffused | cri 90 |

*note* | 6 adjustable metal cables length 3m

Shipped in 4 pieces | Packaging 310x110x15cm

**DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cables length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

CCT 2700K | 163W | 9430lm

L10BZRQ1612G15DBO *structure white*

L10BZRQ1612G15DNE *structure black*

L10BZRQ1612G15DOR *structure matte gold*

CCT 3000K | 163W | 9984lm

L10BZRQ1612G15WBO *structure white*

L10BZRQ1612G15WNE *structure black*

L10BZRQ1612G15WOR *structure matte gold*

CCT 4000K | 163W | 11094lm

L10BZRQ1612G15NBO *structure white*

L10BZRQ1612G15NNE *structure black*

L10BZRQ1612G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 4 remote drivers 100W each |

4 electrical cables length 5m

*accessory* | 4 x canopy or ceiling plate for remote drivers

CCT 2700K | 326W | 18859lm

L10BZRQ1724G15DBO *structure white*

L10BZRQ1724G15DNE *structure black*

L10BZRQ1724G15DOR *structure matte gold*

CCT 3000K | 326W | 19968lm

L10BZRQ1724G15WBO *structure white*

L10BZRQ1724G15WNE *structure black*

L10BZRQ1724G15WOR *structure matte gold*

CCT 4000K | 326W | 22187lm

L10BZRQ1724G15NBO *structure white*

L10BZRQ1724G15NNE *structure black*

L10BZRQ1724G15NOR *structure matte gold*

SPECIFICATION SHEET

**LEDOLOGY®**

A **Luminart** BRAND


WWW.LEDOLOGY.COM  
Last updated: 4/29/21

# ZIRKOL™

## SUSPENSION

TYPE:

PROJECT NAME:



**OVAL | 2x1m (78.74"x39.37")** 

Linear LED | diffused | cri 90 |

*note* | 4 adjustable metal cables length 3m

Shipped assembled | Packaging 210x110x15cm.

**DOWNLIGHT** | 1 remote driver 100W |

1 electrical cable length 5m

*accessory* | canopy or ceiling plate for remote driver

*CCT 2700K | 74W | 4282lm*

○ L10BZRO16A20G15DBO *structure white*

● L10BZRO16A20G15DNE *structure black*

● L10BZRO16A20G15DOR *structure matte gold*

*CCT 3000K | 74W | 4533lm*

○ L10BZRO16A20G15WBO *structure white*

● L10BZRO16A20G15WNE *structure black*

● L10BZRO16A20G15WOR *structure matte gold*

*CCT 4000K | 74W | 5037lm*

○ L10BZRO16A20G15NBO *structure white*

● L10BZRO16A20G15NNE *structure black*

● L10BZRO16A20G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cables length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

*CCT 2700K | 148W | 8563lm*

○ L10BZRO17A20G15DBO *structure white*

● L10BZRO17A20G15DNE *structure black*

● L10BZRO17A20G15DOR *structure matte gold*

*CCT 3000K | 148W | 9067lm*

○ L10BZRO17A20G15WBO *structure white*

● L10BZRO17A20G15WNE *structure black*


● L10BZRO17A20G15WOR *structure matte gold*

*CCT 4000K | 148W | 10074lm*

○ L10BZRO17A20G15NBO *structure white*

● L10BZRO17A20G15NNE *structure black*

● L10BZRO17A20G15NOR *structure matte gold*



**OVAL | 3x1m (118.11"x39.37")** 

Linear LED | diffused | cri 90 |

*note* | 4 adjustable metal cables length 3m

Shipped assembled | Packaging 310x110x15cm

**DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cable length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

*CCT 2700K | 103W | 5948lm*

○ L10BZRO16A30G15DBO *structure white*

● L10BZRO16A30G15DNE *structure black*

● L10BZRO16A30G15DOR *structure matte gold*

*CCT 3000K | 103W | 6297lm*

○ L10BZRO16A30G15WBO *structure white*

● L10BZRO16A30G15WNE *structure black*

● L10BZRO16A30G15WOR *structure matte gold*

*CCT 4000K | 103W | 6997lm*

○ L10BZRO16A30G15NBO *structure white*

● L10BZRO16A30G15NNE *structure black*

● L10BZRO16A30G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 4 remote drivers 100W each |

4 electrical cables length 5m

*accessory* | 4 x canopy or ceiling plate for remote drivers

*CCT 2700K | 206W | 11895lm*

○ L10BZRO17A30G15DBO *structure white*

● L10BZRO17A30G15DNE *structure black*

● L10BZRO17A30G15DOR *structure matte gold*

*CCT 3000K | 206W | 12595lm*

○ L10BZRO17A30G15WBO *structure white*

● L10BZRO17A30G15WNE *structure black*

● L10BZRO17A30G15WOR *structure matte gold*

*CCT 4000K | 206W | 13994lm*

○ L10BZRO17A30G15NBO *structure white*

● L10BZRO17A30G15NNE *structure black*

● L10BZRO17A30G15NOR *structure matte gold*

SPECIFICATION SHEET

LEDODOLOGY®

A **Luminart** BRAND


WWW.LEDOLOGY.COM  
Last updated: 4/29/21

# ZIRKOL™

## SUSPENSION

TYPE:

PROJECT NAME:



○ **OVAL | 2.5x1.5m (98.42"x59.05")**

Linear LED | diffused | cri 90 |

*note* | 4 adjustable metal cables length 3m

Shipped in 4 pieces | Packaging 160x160x15cm

**DOWNLIGHT** | 1 remote driver 100W |

1 electrical cable length 5m

*accessory* | canopy or ceiling plate for remote driver

*CCT 2700K | 97W | 5589lm*

○ L10BZRO16B25G15DBO *structure white*

● L10BZRO16B25G15DNE *structure black*

● L10BZRO16B25G15DOR *structure matte gold*

*CCT 3000K | 97W | 5918lm*

○ L10BZRO16B25G15WBO *structure white*

● L10BZRO16B25G15WNE *structure black*

● L10BZRO16B25G15WOR *structure matte gold*

*CCT 4000K | 97W | 6576lm*

○ L10BZRO16B25G15NBO *structure white*

● L10BZRO16B25G15NNE *structure black*

● L10BZRO16B25G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cables length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

*CCT 2700K | 193W | 11179lm*

○ L10BZRO17B25G15DBO *structure white*

● L10BZRO17B25G15DNE *structure black*

● L10BZRO17B25G15DOR *structure matte gold*

*CCT 3000K | 193W | 11836lm*

○ L10BZRO17B25G15WBO *structure white*

● L10BZRO17B25G15WNE *structure black*


● L10BZRO17B25G15WOR *structure matte gold*

*CCT 4000K | 193W | 13152lm*

○ L10BZRO17B25G15NBO *structure white*

● L10BZRO17B25G15NNE *structure black*

● L10BZRO17B25G15NOR *structure matte gold*



○ **OVAL | 3.5x1.5m (137.79"x59.05")**

Linear LED | diffused | cri 90 |

*note* | 4 adjustable metal cables length 3m

Shipped in 4 pieces | Packaging 210x110x15cm

**DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cable length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

*CCT 2700K | 125W | 7255lm*

○ L10BZRO16B35G15DBO *structure white*

● L10BZRO16B35G15DNE *structure black*

● L10BZRO16B35G15DOR *structure matte gold*

*CCT 3000K | 125W | 7682lm*

○ L10BZRO16B35G15WBO *structure white*

● L10BZRO16B35G15WNE *structure black*

● L10BZRO16B35G15WOR *structure matte gold*

*CCT 4000K | 125W | 8536lm*

○ L10BZRO16B35G15NBO *structure white*

● L10BZRO16B35G15NNE *structure black*

● L10BZRO16B35G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 4 remote drivers 100W each |

4 electrical cables length 5m

*accessory* | 4 x canopy or ceiling plate for remote drivers

*CCT 2700K | 251W | 14511lm*

○ L10BZRO17B35G15DBO *structure white*

● L10BZRO17B35G15DNE *structure black*

● L10BZRO17B35G15DOR *structure matte gold*

*CCT 3000K | 251W | 15364lm*

○ L10BZRO17B35G15WBO *structure white*

● L10BZRO17B35G15WNE *structure black*

● L10BZRO17B35G15WOR *structure matte gold*

*CCT 4000K | 251W | 17072lm*

○ L10BZRO17B35G15NBO *structure white*

● L10BZRO17B35G15NNE *structure black*

● L10BZRO17B35G15NOR *structure matte gold*

SPECIFICATION SHEET

LEDODOLOGY®

A Luminart® BRAND

WWW.LEDOLOGY.COM


Last updated: 4/29/21

# ZIRKOL™

## SUSPENSION

TYPE:

PROJECT NAME:



### OVAL | 4x2m (157.48"x78.74")

Linear LED | diffused | cri 90 |

*note* | 6 adjustable metal cables length 3m

Shipped in 4 pieces | Packaging 210x110x15cm

**DOWNLIGHT** | 2 remote drivers 100W each |

2 electrical cables length 5m

*accessory* | 2 x canopy or ceiling plate for remote drivers

CCT 2700K | 148W | 8563lm

○ L10BZRO16C40G15DBO *structure white*

● L10BZRO16C40G15DNE *structure black*

● L10BZRO16C40G15DOR *structure matte gold*

CCT 3000K | 148W | 9067lm

○ L10BZRO16C40G15WBO *structure white*

● L10BZRO16C40G15WNE *structure black*

● L10BZRO16C40G15WOR *structure matte gold*

CCT 4000K | 148W | 10074lm

○ L10BZRO16C40G15NBO *structure white*

● L10BZRO16C40G15NNE *structure black*

● L10BZRO16C40G15NOR *structure matte gold*

**UP-DOWNLIGHT** | 4 remote drivers 100W each |

4 electrical cables length 5m

*accessory* | 4 x canopy or ceiling plate for remote drivers

CCT 2700K | 296W | 17126lm

○ L10BZRO17C40G15DBO *structure white*

● L10BZRO17C40G15DNE *structure black*

● L10BZRO17C40G15DOR *structure matte gold*

CCT 3000K | 296W | 18134lm

○ L10BZRO17C40G15WBO *structure white*

● L10BZRO17C40G15WNE *structure black*

● L10BZRO17C40G15WOR *structure matte gold*

CCT 4000K | 296W | 20149lm

○ L10BZRO17C40G15NBO *structure white*

● L10BZRO17C40G15NNE *structure black*

● L10BZRO17C40G15NOR *structure matte gold*

SPECIFICATION SHEET

LEDOLOGY®

A **Luminart** BRAND

WWW.LEDOLOGY.COM  
Last updated: 4/29/21